

CE


STIROILUX

STIROILUX

GENERAL CATALOGUE 2006

# ALL THE STRENGTH A

## TIPO-STIR *1100 S* *1700 S*



**Tipo Stir 1100S**  
Heater volume 1,7 litres  
Ironing autonomy 1,5 to 2 hours

**Tipo Stir 1700S**  
Heater volume 2,5 litres  
Ironing autonomy 2 to 3 hours

GREAT AUTONOMY - LOTS OF STEAM - TOTAL SAFETY - TESTED

ND SAFETY OF STEAM

**TIPO-STIR**  
**1800 S**




**Tipo Stir 1800S**  
Heater volume 2,6 litres  
Ironing autonomy 2 to 3 hours

RELIABILITY - MAXIMUM FUNCTIONAL CAPACITY - EASY TO USE

# ALL THE STRENGTH A

## **TIPO-STIR** **2300 S**



**Tipo Stir 2300S**  
Heater volume 3,0 litres  
Ironing autonomy 3 to 4 hours

**For hotels, restaurants and communities**

**GREAT AUTONOMY - LOTS OF STEAM - TOTAL SAFETY - TESTED**

# AND SAFETY OF STEAM

*new 2006*

## **TIPO-STR** **5000 S**



**Tipo Stir 5000S**  
Heater volume 5,5 litres  
Ironing autonomy 5 to 6 hours

**For hotels, restaurants and communities**

**RELIABILITY - MAXIMUM FUNCTIONAL CAPACITY - EASY TO USE**

# ALL THE STRENGTH A



**Tipo Stir Automatic**  
Continuous filling of water  
Unlimited capacity

## TIPO-STIR *Automatico*



GREAT AUTONOMY - LOTS OF STEAM - TOTAL SAFETY - TESTED

# ND SAFETY OF STEAM



**Professional iron**



RELIABILITY - MAXIMUM FUNCTIONAL CAPACITY - EASY TO USE

# ALL THE STRENGTH A



**Ironing board**  
in ironing position

GREAT AUTONOMY - LOTS OF STEAM - TOTAL SAFETY - TESTED

# ND SAFETY OF STEAM



**Ironing board**  
in space saving position

RELIABILITY - MAXIMUM FUNCTIONAL CAPACITY - EASY TO USE

# ALL THE STRENGTH A



**Heated suction ironing board  
in ironing position**

**GREAT AUTONOMY - LOTS OF STEAM - TOTAL SAFETY - TESTED**

# ND SAFETY OF STEAM



**Heated suction ironing board**  
in space saving position

RELIABILITY - MAXIMUM FUNCTIONAL CAPACITY - EASY TO USE



### Certifications



**STIROLUX**



s.n.c. di Albertini & c.

25073 BOVEZZO (Brescia) Italy - Via A. Faini, 3/a - Tel. 0039 030 2712573 - Fax 0039 030 2713509  
Internet: [www.stirolux.com](http://www.stirolux.com) e-mail: [stirolux@stirolux.com](mailto:stirolux@stirolux.com)